



BROCHURE - FOREST SERIES 2025

This range of playgrounds are designed to assist and motivate kids in the following:

- Sustained Attention
- Response Inhibition
- Speed of Information Processing
- Cognitive Flexibility and Control
- Multiple Simultaneous Attention
- Working Memory
- Category Formation
- Pattern Recognition



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



SAP-FOREST SERIES S005

COMPACT OUTDOOR SYSTEMS SMALL RANGE

R61 100,00 Ex VAT

Installation on existing slab = **R3200,00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 1 - Open Slide
- 1 - Vortex Climber
- 1 - Fireman's Pole
- 1 - PE Rock Climber
- 2 - Floors
- 1 - Roof
- 1 - Spinner



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES M002

COMPACT OUTDOOR SYSTEMS MEDIUM RANGE

R96,600,00 Ex VAT

Installation on existing slab = **R8800.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 1 - Open Slide
- 1 - Ramp Climber
- 2 - PE Rock Climbers
- 1 - Vertical Chain Climber
- 3 - Floors
- 1 - Fireman's pole
- 2 - Roofs



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES M003

COMPACT OUTDOOR SYSTEMS MEDIUM RANGE

R126,000.00 Ex VAT

Installation on existing slab = **R9800.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 2 - Open Slides
- 1 - Chain Ramp Climber
- 3 - PE Rock Climbers
- 1 - Vertical Chain Climber
- 1 - Fireman's Pole
- 1 - Hanging Bridge
- 3 - Floors
- 2 - Roofs



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES M004

COMPACT OUTDOOR SYSTEMS MEDIUM RANGE

R144,000.00 Ex VAT

Installation on existing slab = **R13,200.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 1 - Open Slide
- 1 - Fireman's Pole
- 4 - PE Rock Climbers
- 1 - Bobbin Climber
- 3 - Floors
- 2 - Roofs
- 1 - Spinner
- 1 - Chain Climber



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES M005

COMPACT OUTDOOR SYSTEMS MEDIUM RANGE

R138,600.00 Ex VAT

Installation on existing slab = **R13,200.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 1 - Open Slide
- 1 - Fireman's Pole
- 2 - PE Rock Climbers
- 1 - Stepping Stone
- 3 - Floors
- 2 - Roofs
- 1 - Spinner
- 1 - Chain Climber



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



AGES 4+



SAP-FOREST SERIES L001

COMPACT OUTDOOR SYSTEMS LARGE RANGE

R192,000.00 Ex VAT

Installation on existing slab = **R15 800,00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 2 - Open Slides
- 1 - Tube Spiral Slide
- 1 - Ramp Climber with Grips
- 1 - PE Rock Climber
- 1 - PE Vertical Climber
- 1 - Vortex Climber
- 2 - Interactive Panels
- 6 - Floors
- 1 - Roof



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES L002

COMPACT OUTDOOR SYSTEMS LARGE RANGE

R237,300.00 Ex VAT

Installation on existing slab = **R18,800.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 2 - Open Slides
- 1 - Fireman's Pole
- 2 - Ramp Climber with Grips
- 1 - PE Rock Climber
- 1 - Vortex Climber
- 1 - 3m Hanging Bridge
- 2 - Elbow Tube X-Overs
- 1 - Interactive Panel
- 10 - Floors
- 3 - Roofs



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES L003

COMPACT OUTDOOR SYSTEMS LARGE RANGE

R336,000.00 Ex VAT

Installation on existing slab = **R22,000.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 2 - Open Slides
- 1 - Tube Spiral Slide
- 1 - Ramp Climber with Grips
- 2 - PE Rock Climbers
- 1 - Vertical Chain Climber
- 1 - 3m Hanging Bridge
- 1 - 1.5m Hanging Bridge
- 2 - Elbow Tube X-Overs
- 2 - Interactive Panels
- 13- Floors
- 4 - Roofs
- 1 - Vortex climber
- 1 - Hanging Bridge



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES L004

COMPACT OUTDOOR SYSTEMS LARGE RANGE

R241,500.00 Ex VAT

Installation on existing slab = **R18,800.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 2 - Open Slides
- 1 - Tube Spiral Slide
- 1 - Fireman's Pole
- 1 - Vortex Climber
- 2 - Hanging Bridges
- 4 - PE Rock Climbers
- 1 - Vertical Chain Climber
- 1 - Monkey Bar
- 1 - Interactive Panel
- 6 - Floors
- 4 - Roofs



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES L005

COMPACT OUTDOOR SYSTEMS LARGE RANGE

R217,000.00 Ex VAT

Installation on existing slab = **R18,800.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 1 - Open Slide
- 1 - Stepping Stone
- 1 - Bobbin Climber
- 1 - Tube Spiral Slide
- 1 - Spinner
- 2 - PE Rock Climbers
- 2 - Interactive Panels
- 7 - Floors
- 1 - Roof



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





SAP-FOREST SERIES L006

COMPACT OUTDOOR SYSTEMS LARGE RANGE

R294,000.00 Ex VAT

Installation on existing slab = **R22,000.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 1 - Open Slide
- 1 - Tube Spiral Slide
- 1 - Fireman's Pole
- 1 - Vortex Climber
- 2 - Hanging Bridges
- 6 - PE Rock Climbers
- 1 - Vertical Chain Climber
- 1 - Monkey Bar
- 2 - Interactive Panels
- 6 - Floors
- 4 - Roofs
- 1 - Spinner
- 1 - Stepping Stone
- 1 - Bobbin Climber



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



AGES 4+



SAP-FOREST SERIES L007

COMPACT OUTDOOR SYSTEMS LARGE RANGE


R299,000.00 Ex VAT

Installation on existing slab = **R24,000.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- 1 - Open Slide
- 1 - Tube Spiral Slide
- 1 - Fireman's Pole
- 1 - Vortex Climber
- 1 - Hanging Bridges
- 4 - PE Rock Climbers
- 1 - Hex Climber
- 1 - Stepping Stone
- 2 - Interactive Panels
- 6 - Floors
- 5 - Roofs
- 1 - Spinner
- 1 - Double Elbow Cross Over
- 1 - Bobbin Climber



MATERIALS:

- Steel frames prime painted (Galvanizing optional)
- Repurposed Plastic, Decking
- HDPE Laminated panels
- LLDPE Slides
- Urethane covered chains
- Colours may vary due to stock availability.



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



AGES 4+



OUR BUSINESS IS CHILD'S PLAY

We use a full set of test probes enabling us to test for compliance to meet all design and safety standards. We can assure our customers of the highest standards and compliance as we test all units ourselves before and after installation.



These images above depict the use of special gauges called probes, to test for areas that might pose the risk of head and neck entrapment.

The various probes used include torso, head, foot and hand probes and test for all possible problem areas on the play equipment.



Our factory based in Johannesburg South Africa is fully equipped to manufacture only the highest quality play equipment available today.



OUR BUSINESS IS CHILD'S PLAY

Specifications on materials used on our playgrounds

- *FRAMES (Steel primed and painted or hot dip galvanizing optional extra)*
- *PAINT (International urethane paint product of Akzo Nobel)*
- *ROOFS, FLOOR SURFACES & SIDE PANELS (Wood particle composite) WPC*
- *SLIDES (LLDPE plastic with UV stabilizers)*
- *ROPE TYPE FEATURES (Galvanized chains covered with PVC coloured hoses)*
- *SLIDE SHROUDS, RAMPS, SIDE BARRIER PANELS & INTERACTIVE GAMES (HDPE layered plastic)*

Why trust SA Play Play Systems

- *SA's LEADING PLAYGROUND COMPANY SINCE 1996*
- *MORE THAN 1000 SITES ACROSS AFRICA*
- *MANUFACTURERES AND DIRECT IMPORTERS*
- *SUPERIOR QUALITY CONTROL ,CONTINUOUS IMPROVEMENT*
- *USE SUPERIOR MATERIALS DESIGNED TO OUR SPECIFICATION*
- *QUALITY CONTROL FROM FACTORY TO INSTALL*
- *SUPPLIERS TO ALL THE LEADING BRANDS*
- *COMPLY WITH SABS STANDARDS SANS 51176*
- *FULLY QUALIFIED INSTALLERS MANY WITH OVER 10 YEARS EXPERIENCE*
- *FULLY INSURED FOR PUBLIC LIABILITY*
- *WE DESIGN MANUFACTURE AND INSTALL*
- *WE KEEP EXTENSIVE STOCK SO NO DELAYS OR GOODS NOT ARRIVING AT ALL*
- *A TEAM OF OVER 30 PEOPLE READY TO MEET YOUR NEEDS*

Call us to find out why we are South Africa's leading playground supplier.



Call + 27 11 474 6930

Legal and disclaimers:

Modular Play systems is not liable for any errors and omissions, colours and configurations may vary from actual units as images are CAD generated and may vary from actual products. Models subject to change without notice. No part of this price list may be shared with third parties with out the written consent of Modular play systems, such distribution may result in legal action being taken. Pricing is subject to change with out prior notice all prices exclude vat and are ex our premises in Johannesburg, delivery and installation costs are additional and quoted separately.



MODULAR
PLAY SYSTEMS
INTERNATIONAL

P.O. Box 167, Cresta, Jhb, 2118

(011) 474-6930

modularplay@iafrica.com

5 Nobel Street, Industria West, Jhb

www.modularplaysystemsint.co.za



PHOTO GALLERY

